

USER CHARGE SELF MONITORING REPORT

NAME: COMO TEXTILE PRINTS INC.
 ADDRESS: 191 EAST RAILWAY AVE. PATERSON NJ 07503
 FACILITY LOCATION: 191 EAST RAILWAY AVENUE PATERSON NJ 07503
 NEW CUSTOMER ID / OUTLET ID: 27220022 - 1 OLD OUTLET DESIGNATION: 27400341



MONITORING PERIOD					
START			END		
6	1	08	6	30	08
MO	DAY	YR	MO	DAY	YR

VOL DISCHARGED THIS PERIOD	
3,098,216	GALS
CU. FT X 7.48 = GALLONS	
EFFLUENT METER READING LAST DAY THIS PERIOD	

3.098

DATE	BOD	TSS
6/10	95.0	109.8
6/17	94.0	179.0

DATE	BOD	TSS

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL OR AUTHORIZED AGENT	TYPE NAME AND TITLE	TELEPHONE NUMBER
	MICHAEL F. BLANCHFIELD, E.P.	973-279-2950
		DATE 7/10/2008

USER CHARGE SELF MONITORING REPORT

NAME: COMO TEXTILE PRINTS INC.

ADDRESS: 191 EAST RAILWAY AVE.

PATERSON

NJ 07503

FACILITY LOCATION: 191 EAST RAILWAY AVENUE

PATERSON

IN NJ-07503

NEW CUSTOMER ID / OUTLET ID: 27220022 - 2


OLD OUTLET DESIGNATION: 27400342


START			END		
6	1	08	6	30	08
MO	DAY	YR	MO	DAY	YR

VOL DISCHARGED THIS PERIOD	
312,664	GALS
CU. FT X 7.48 = GALLONS	
EFFLUENT METER READING LAST DAY THIS PERIOD	

[illegible][illegible]

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL OR AUTHORIZED AGENT	TYPE NAME AND TITLE	TELEPHONE NUMBER
	Michael Blaukfeld President	973-279-2950
		DATE 7/10/2008

USER CHARGE SELF MONITORING REPORTNAME: COMO TEXTILE PRINTS INC.ADDRESS: 191 EAST RAILWAY AVE.

PATERSON

NJ 07503

FACILITY LOCATION: 191 EAST RAILWAY AVENUE

PATERSON

NJ 07503

NEW CUSTOMER ID / OUTLET ID: 27220022 - 3 OLD OUTLET DESIGNATION: 27400343MONITORING PERIOD

START			END		
6	1	08	6	30	08
MO	DAY	YR.	MO	DAY	YR.

VOL DISCHARGED THIS PERIOD2244

GALS

CU. FT X 7.48 = GALLONS

EFFLUENT METER READING LAST
DAY THIS PERIOD

DATE	BOD	TSS
6/30	136	132

DATE	BOD	TSS

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL OR AUTHORIZED AGENT	TYPE NAME AND TITLE	TELEPHONE NUMBER
	Michael F. Blanchfield- E.P.	973-279-2950 ext. 45
DATE <u>7/10/2008</u>		

Technion, Inc.
Testing and Research Laboratories

Client : Como Textiles

Date Received : 06/10/08

Test Results

Sample ID: Outlet #1

Matrix: Wastewater

Lab ID: 8035-1

Date Analyzed	Parameter	Results	MDL	EPA Method
06/11-16/08	BOD	95.0	2.0	405.1
06/11/08	TSS	109.8	0.1	160.2
06/10/08	pH	6.9	N.A.	150.1

pH not performed with in Holding time.

FOR CUSTOMER USE ONLY

Test results are in mg/l (ppm), unless specified

NA : Not Applicable

ND : Not Detected

NJDEP No. 07004

Page

2 of 5

**Technion Inc.,
Testing and Research Laboratories**

Client : Como Textiles

Date Received : 06/10/08

Test Results

Sample ID: Outlet #2

Matrix: Wastewater

Lab ID: 8035-3

Date Analyzed	Parameter	Results	MDL	EPA Method
06/11-16/08	BOD	156.0	2.0	405.1
06/11/08	TSS	39.2	0.1	160.2
06/10/08	pH	6.2 *	N.A.	150.1

pH not performed with in Holding time.

FOR CUSTOMER USE ONLY

Test results are in mg/l (ppm), unless specified

NA : Not Applicable

ND : Not Detected

NJDEP No. 07004

Page

4 of 5

Technion Inc.,
Testing and Research Laboratories
263 Hillside Avenue
Nutley, NJ 07110

RECEIVED JUL 1 - 2008

Tel : 973-661-0800

Fax : 973-661-1817

Analytical Report

Client : Como Textiles
Client Ref :
Material : One Wastewater

Date : 06/26/08
Technion Ref : 8052
Date Received : 06/17/08
Lab ID : 08: 8052

Project :

Analysis Req : BOD, TSS, pH

Analyst : Y. Yildiz, S. Zalewski

The above sample(s) were received on 06/17/08 and analyzed as requested.

Certificate of Analysis

Test Results : Test results are as attached.

Release of the data contained in this hard copy data package has been authorized by the laboratory manager as verified by the following signature.


Omar Baturay
Laboratory Manager

OB/td

NJDEP No. 07004

1 of 2

Technion, Inc.
Testing and Research Laboratories

Client : Como Textiles

Date Received : 06/17/08

Test Results

Sample ID: Outlet #1

Matrix: Wastewater

Lab ID: 8052

Date Analyzed	Parameter	Results	MDL	EPA Method
06/18-23/08	BOD	94.0	2.0	405.1
06/17/08	TSS	179.0	0.1	160.2
06/18/08	pH	6.7	N.A.	150.1

pH not performed with in Holding time.

FOR CUSTOMER USE ONLY

Test results are in mg/l (ppm), unless specified

NA : Not Applicable

ND : Not Detected

NJDEP No. 07004

2 of 2

Come Textile Prints

tel: (973) 279-2950 fax: (973) 881-8450

Date:

Passaic Valley Sewerage Commissioners
Industrial Waste Control Department

RE: Computations for monitoring report

Enclosed are the computations for the enclosed monitoring report:

Service #341

Meter #70025607	4290 (CCF) * 748 =	3,208,920	gal.
Meter #60094686	70 (CCF) * 748 =	52,360	gal.
		<u>3,261,280</u>	gal.

5% allowance for evaporation * .95

Consumption #341

<u>3,098,216</u>	gal.
------------------	------

Service #342

Meter #60094678	440 (CCF) * 748 =	329,120	gal.
-----------------	-------------------	---------	------

5% allowance for evaporation * .95

Consumption #342


<u>312,664</u>	gal.
----------------	------

Service #343

Meter #45141583	3 (CCF) * 748 =	2,244	gal.
-----------------	-----------------	-------	------

Sanitary only #343

<u>2,244</u>	gal.
--------------	------


 Michael Blanchfield
 Plant Manager

pvsc36

**Technion Inc.,
Testing and Research Laboratories
263 Hillside Avenue
Nutley, NJ 07110**

RECEIVED JUL 1 - 2008

Tel : 973-661-0800

Fax : 973-661-1817

Analytical Report

Client : Como Textiles
Client Ref :
Material : Four Wastewater Samples

Date : 06/25/08
Technion Ref : 8035
Date Received : 06/10/08
Lab ID : **08:** 8035

Project :

Analysis Req : BOD, TSS, pH / Metals (Cu, Pb, Ni, Zn)

Analyst : Y. Yildiz, S. Zalewski

The above sample(s) were received on **06/10/08** and analyzed as requested.

Certificate of Analysis

Test Results : Test results are as attached.

Metals Subcontracted to QC Laboratories

Release of the data contained in this hard copy data package has been authorized by the laboratory manager as verified by the following signature.


Omar Baturay
Laboratory Manager

OB/td

NJDEP No. 07004

Page

1 of 5



Passaic Valley Water Commission
P.O. Box 11393
Newark, New Jersey 07101-4393
973-340-4300
877-772-7077

RECEIVED JUN 30 2008

Bill Date	Jun 27, 2008
Account Number	122621-98572
Date of Last Payment	Jun 13, 2008
Amount of Last Payment	\$ 4,856.52
Previous Balance	\$ 0.00
Current Charges	\$ 5,351.02
Total Amount Due	\$ 5,351.02
Due Date	Jul 27, 2008

SERVICE ADDRESS **191 E RAILWAY AVE, PATERSON**

BILL TYPE **MONTHLY BILL**

Service Period

May 14, 2008--Jun 06, 2008


Services

Description	Charge
SERVICE CHARGE	337.60
FIRST 333 CCF	462.87
NEXT 9,999,999 CCF	4550.55

Meters

Meter No	Meter Size	Current	Previous	Consumption
70025607	4 INCH	5981	5552	4290

Usage History (most recent first)





Passaic Valley Water Commission
 P.O. Box 11393
 Newark, New Jersey 07101-4393
 973-340-4300
 877-772-7077

RECEIVED JUN 30 2008

Bill Date	Jun 25, 2008
Account Number	122623-98574
Date of Last Payment	Jun 13, 2008
Amount of Last Payment	\$ 481.60
Previous Balance	\$ 0.00
Current Charges	\$ 692.22
Total Amount Due	\$ 692.22
Due Date	Jul 25, 2008

SERVICE ADDRESS 191 E RAILWAY AVE UT001, PATERSON

BILL TYPE MONTHLY BILL

Service Period

May 14, 2008--Jun 06, 2008


Services

Description	Charge
SERVICE CHARGE	106.30
FIRST 333 CCF	462.87
NEXT 9,999,999 CCF	123.05

Meters

Meter No	Meter Size	Current	Previous	Consumption
60094678	2 INCH	4787	4743	440

Usage History (most recent first)





Passaic Valley Water Commission
P.O. Box 11393
Newark, New Jersey 07101-4393
973-340-4300
877-772-7077

RECEIVED JUN 3 0 2008

7/1/08 Page 1 of 1

Bill Date	Jun 25, 2008
Account Number	122625-98578
Date of Last Payment	Jun 13, 2008
Amount of Last Payment	\$ 288.72
Previous Balance	\$ 0.00
Current Charges	\$ 233.12
Total Amount Due	\$ 233.12
Due Date	Jul 25, 2008

SERVICE ADDRESS **193 E RAILWAY AVE. PATERSON**

BILL TYPE **MONTHLY BILL**

Service Period

May 14, 2008--Jun 06, 2008


Services

Description	Charge
SERVICE CHARGE	106.30
SERVICE CHARGE	25.35
FIRST 333 CCF	101.47

Meters

Meter No	Meter Size	Current	Previous	Consumption
60094686	2 INCH	1244	1237	70
45141583	5/8 INCH	491	488	3

Usage History (most recent first)



LAB I.D. # 2052

CHAIN OF CUSTODY

TECHNION, INC.
TESTING AND RESEARCH LABORATORY
263 HILLSIDE AVENUE
NUTLEY, NEW JERSEY 07110
Tel: (973) 661-0800 • Fax: (973) 661 -1817

Company Name / Address:	CHECK REPORT TYPE REQUIRED
Proj. Mgr. <i>Cemo Topf</i>	EPA TIER I (CLP) <input type="checkbox"/>
Proj. Description	EPA TIER II (CLP) <input type="checkbox"/>
Sampler (Signature):	RESULTS ONLY III <input type="checkbox"/>
	NJ ECRA II <input type="checkbox"/>
	NJ TIER 1B <input type="checkbox"/>
	NY DOH <input type="checkbox"/>
	OTHER <input type="checkbox"/>
	DATE DUE <input type="checkbox"/>

[illegible]